




UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NUMBER	FILING OR 371(c) DATE	FIRST NAMED APPLICANT	ATTY. DOCKET NO./TITLE
10/759,548	01/16/2004	Peter Rogowsky	A36125PCT USA-A

21003
BAKER & BOTTS
30 ROCKEFELLER PLAZA
NEW YORK, NY 10112

CONFIRMATION NO. 8731
WITHDRAWAL
NOTICE

Date Mailed: 09/09/2005

WITHDRAWAL OF PREVIOUSLY SENT NOTICE

The Notice mailed on 01/10/2005 was sent in error and is hereby withdrawn. A corrected Notice is enclosed. The time period for reply runs from the mail date of the corrected Notice. The Office regrets any inconvenience the error may have caused.

*A copy of this notice **MUST** be returned with the reply.*


Customer Service Center

Initial Patent Examination Division (571) 272-4000, or 1-800-PTO-9199, or 1-800-972-6382
PART 1 - ATTORNEY/APPLICANT COPY



OIPE ROUTING SHEET APPLICATION

10/759,548

TO BE DELIVERED TO:


O I P E

LOCA 0380

Sequence Rule Compliance Review Item

	CRF, paper copy of sequence listing, and statement that both are same missing
	CRF contains error(s) according to STIC Report
	CRF damaged or unreadable according to STIC Report
	CRF transferred from prior application is not compliant
X	Sequences missing from Sequence Listing

Place an "X" in the appropriate box


W. Gary Jones
Supervisory Patent Examiner
Technology Center 1600

APPLICATION SERIAL NUMBER

10/759,548



**DOES NOT COMPLY WITH THE
SEQUENCE RULES.**

**- Figure 6 contains a sequence without a
SEQ ID NO, and the brief description of
the drawing on page 8 does not include a
SEQ ID NO either.**